

Gayafores Tiles

BPIR Declaration

Version:

Designated building product: Class 1

Declaration

QEP, CO. NZ has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	Gayafores Tiles
Line	
Identifier	Gayafores

Description

Gayafores are authentic Spanish-made porcelain tiles that effortlessly interpret the latest home-design trends to create timelessly beautiful, high performance tiles. Strong, durable and virtually non-porous, Gayafores porcelain tiles are a long-term design choice with a beauty that won't fade or wear with age. Boasting a five star wear rating Gayafores porcelain tiles are scratch, impact and stain resistant. The 100% waterproof tiles can be installed in all areas of your home, including wet areas such as bathrooms, laundries and kitchens.

Scope of use

Building type; Residential Wearability; suitability in normal household traffic areas Cleanability — suitability for regular household cleaning appliances.

Conditions of use

Install using relevant tile adhesives. Correct trowels required, recommend 8mm. Finish using suitable grout. Ensure substrate is level and clean to secure consistent finish.

First party self-assessment generated Oct 31, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=80de41db21039151300d6a94d235caa0098ea801>

Get BPIR Ready | bpir.nz

Relevant building code clauses

B2 Durability — B2.3.1 (c)

E3 Internal moisture — E3.3.3, E3.3.5, E3.3.6

F2 Hazardous building materials — F2.3.1

Contributions to compliance

B2: Gayafores Tiles has a durability of 20 years where it meets the relevant instructions. Refer to the installation requirements for further information.

Supporting documentation

The following additional documentation supports the above statements:

None added

For further information supporting Gayafores Tiles claims refer to our website.

Contact details

Manufacture location	Overseas
Legal and trading name of manufacturer	Spain
Legal and trading name of importer	QEP, CO. NZ
Importer address for service	6 Canaveral Drive Auckland 0632
Importer website	https://www.qep-aust.com.au/
Importer NZBN	
Importer email	nzoffice@qep.com
Importer phone number	09 415 9700

Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that Gayafores Tiles is not subject to a warning on ban under [s26 of the Building Act](#)

Signed for and on behalf of **QEP, CO. NZ:**

Your Signature

Your Name

YOUR POSITION

Month Year

QEP, CO. NZ

6 Canaveral Drive Auckland 0632 New Zealand
09 415 9700 | <https://www.qep-aust.com.au/>

Appendix

Note: The below appendix includes information relating to BPIR Ready.

Publishing this information is not a requirement under BPIR. Its inclusion here is to provide a reference for how this BPIR summary was generated as well as to help summary creators understand the performance clauses suggested by BPIR Ready.

BPIR Ready selections

Category: Floor coverings

	Yes	No
Use on access routes		x
Use in areas with floor surface fire obligations		x
Use in wet areas	x	
Use in food preparation areas		x
Part of a system for acoustic performance		x

Building code performance clauses

B2 Durability

First party self-assessment generated Oct 31, 2023 with BPIR Ready.

Source: <https://bpir.nz/form/view?wz=80de41db21039151300d6a94d235caa0098ea801>

Get BPIR Ready | bpir.nz

B2.3.1

Building elements must, with only normal maintenance, continue to satisfy the performance requirements of this code for the lesser of the *specified intended life* of the *building*, if stated, or:

(c) 5 years if:

- i. the *building elements* (including services, linings, renewable protective coatings, and *fixtures*) are easy to access and replace, and
- ii. failure of those building elements to comply with the *building code* would be easily detected during normal use of the *building*.

E3 Internal moisture

E3.3.3

Floor surfaces of any space containing *sanitary fixtures* or *sanitary appliances* must be impervious and easily cleaned.

E3.3.5

Surfaces of *building elements* likely to be splashed or become contaminated in the course of the *intended use* of the building, must be *impervious* and easily cleaned.

E3.3.6

Surfaces of *building elements* likely to be splashed must be constructed in a way that prevents water splash from penetrating behind linings or into *concealed spaces*.

F2 Hazardous building materials

F2.3.1

The quantities of gas, liquid, radiation or solid particles emitted by materials used in the *construction of buildings*, shall not give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.